





Wing Area: 11,88 m²
Wing Airfoil: NACA 65-018 MOD.
Wing Span: 9 m
Wing Chord: 1,32 m
Wing Aspect Ratio: 6,8
Horizontal Tail Span: 2,45 m
Length: 6,56 m
Rudder Tip Height: 2,61

MTOW: 600 kg
Powerplant: 100 Hp (Rotax 912 ULS/iS)

VC Design Cruise Speed: 110 MPH (180 Km/h)
VNE Never Exceed Speed: 147 MPH (237 Km/h)
VS1 Stall Speed (no Flaps): 44 MPH (70 Km/h)
VS0 Flap Extended stall Speed (no Flaps): 40 MPH (64 Km/h)
Load Factor +4 / -2

SPECIFICHE DI RIFERIMENTO:
Elenco specifiche di riferimento lavorazione: S.0218

☐					
☐					
☐					
☒					
☒					
☒					
INDICE	DENOMINAZIONE MODIFICA	DATA	DISSEGNAZIONE		



Disegno eseguito con
Autodesk® INVENTOR®

Non sono ammesse variazioni e modifiche manuali.

Proprietà della I.C.P. srl. Senza autorizzazione scritta il presente disegno non potrà essere comunicato a terzi e/o riprodotto.
La Società proprietaria tutela i propri diritti a norma di legge.

TOLLERANZA GENERALE	FILE DI PIEGATURA	DENOMINAZIONE SAVANNAH SR – Rotax 912S	FORMATO A3	SCALA 1 : 50	
TOLLERANZA ANGOLARE	NUMERO STAMPO		DESEGNAZIONE A.B.	VISTO 	
A. : ZONA ETICHETTA (SE PRESENTE)	STATO MATERIALE	UTILIZZO E7SRPV12	DISEGNO CLIENTE		MOD.
TRATTAMENTO TERMICO		MATERIALE		P/N (NUMERO PARTE)	
TRATTAMENTO SUPERFICIALE		SPESORE	PESO N/A	P/ID (CODICE) SAVANNAH SR	REV. -00